

## Toxicity and Risk of DCM and alternative solvents in paint strippers

Dr. B. Orthen  
Toxicology of hazardous substances  
Federal Institute of Occupational Safety and Health  
BAuA  
Germany

1

Dr. Bruno Orthen : November/2005 : DG Ent



## Tasks of BAuA

- Support the ministry of labour (BMA)
- Implementation and transfer of knowledge
- Research
- Implementation of laws (risk assessments, OEL)
- Advising people interested in OSH
- German occupational safety and health exhibition

2

Dr. Bruno Orthen : November/2005 : DG Ent



## What's the problem ? Dichloromethane as solvent in paint strippers

- More than **30 fatalities** as a consequence of very high exposure (probably far above the OEL)
- **100 ppm (max. OEL in EU) is considerably exceeded** in many countries (incl. retardants): Rühl et al. 2004
- In Germany **MAK-value (100 ppm) was deleted** (carcinogenicity and germ cell effects); no new value !
- The **risk is not acceptable**
- Protective measures are obviously **not sufficient**

### What about the substitutes ??

3

Dr. Bruno Orthen : November/2005 : DG Ent

**b a u a :**

## Dichloromethane and alternative solvents

- **Dichloromethane:** (CAS-Nr. 75-09-2)

### Selected alternatives:

- **Dibasic esters:**
  - 15 % - 25 % Dimethyl succinate (CAS-Nr. 106-65-0)
  - 55 % - 65 % Dimethyl glutarate (CAS-Nr. 1119-40-0)
  - 10 % - 25 % Dimethyl adipate (CAS-Nr. 627-93-0)
- **2-(2-Ethoxyethoxy) ethanol:** (CAS-Nr. 111-90-0)
- **Benzyl alcohol:** (CAS-Nr. 100-51-6)

4

Dr. Bruno Orthen : November/2005 : DG Ent

**b a u a :**

## Dichloromethane

### Toxicity:

- acute: narcotic, generation of carbon monoxide, death
- genotoxic in vivo and in vitro
- tumors in mice, relevance for humans ?
- **D-MAK-commission: tumor risk in humans cannot be assessed finally, further studies needed !**

5

Dr. Bruno Orthen : November/2005 : DG Ent

baua:

## Dichloromethane

- OELs between 15 ppm (N) and 100 ppm (e. g. UK, NL)
- In Germany **MAK-value (100 ppm) was deleted** (carcinogenicity and germ cell effects); no new value !
- No EU-OEL
- EU-classification: Xn, R40 (**Carc. Cat. 3**)  
limited evidence of a carcinogenic effect

6

Dr. Bruno Orthen : November/2005 : DG Ent

baua:

## Dibasic esters

### Dibasic esters:

15 % - 25 % Dimethyl succinate (CAS-Nr. 106-65-0)

55 % - 65 % Dimethyl glutarate (CAS-Nr. 1119-40-0)

10 % - 25 % Dimethyl adipate (CAS-Nr. 627-93-0)

no classification

no OEL

7

Dr. Bruno Orthen : November/2005 : DG Ent

baua:

## Dibasic esters

	DBE	DMS	DMG	DMA
Repeated, oral	X	-	-	-
<b>Repeated, inhalation</b>	<b>X</b>	<b>X<sup>1</sup></b>	<b>X</b>	<b>X<sup>1</sup></b>
Mutagenicity in vitro	X	X	X	-
Mutagenicity in vivo	X	X	X	X
Reprotox (dev tox)	X	-	-	X
Reprotox (fertility)	X	-	-	-
Carcinogenicity	-	-	-	-

DBE: Dibasic esters

DMS: Dimethyl succinate

DMG: Dimethyl glutarate

DMA: Dimethyl adipate

1: one dose

8

Dr. Bruno Orthen : November/2005 : DG Ent

baua:

## Dibasic esters (mixture)

**Repeated, inhalation:** nose, olfactory epithelium, acid effect

Reproductive toxicity: body weight change of minor relevance

Mutagenicity: in vivo negative (one positive in vitro)

Carcinogenicity: no study (no need of a study because of lacking mutagenicity and no alerts from the structure)

Acute, inhalation: blurred vision ??

- Database sufficient for an OEL of the mixture (key effect: toxicity in the nose)

- BAUA submitted an OEL-document to German UA III

## Dimethyl glutarate

**Repeated, inhalation:** nose, olfactory epithelium, acid effect

Reproduction: no relevant effects (increase of sperm count and change of hormonal parameter)

Mutagenicity: no effects

Carcinogenicity: no study (no need of a study because of lacking mutagenicity and no alerts from the structure)

## Dimethyl succinate and Dimethyl adipate

**Repeated, inhalation:** nose, olfactory epithelium, acid effect, one dose

Reproduction: no relevant effects (hormonal parameters)

Mutagenicity: no effects

Carcinogenicity: no study (no need of a study because of lacking mutagenicity and no alerts from the structure)

- single esters show similar properties as the mixture

- OEL can be set for the mixture

## 2-(2-Ethoxyethoxy) ethanol Benzyl alcohol

	2-(2-Ethoxyethoxy) ethanol	Benzyl alkohol
Repeated, oral	X	X
<b>Repeated, inhalation</b>	<b>X</b>	-
Mutagenicity in vitro	X	X
Mutagenicity in vivo	X	X
Reprotox (dev tox)	X	X
Reprotox (fertility)	X	-
Carcinogenicity	X	X

## 2-(2-Ethoxyethoxy) ethanol

### Repeated, inhalation: Larynx/Nose ?

Reproduction:	no effect
Mutagenicity:	no effect
Carcinogenicity:	no effect

- Database sufficient for an OEL (key effect: effects in larynx/nose ?)
- BAUA submitted an OEL-document to German UA III

## Benzyl alcohol

Repeated, oral: brain, muscles, kidney at very high doses

Reproduction:	no effect
Mutagenicity:	positive in vitro, negative in vivo
Carcinogenicity:	no effect

OEL difficult because of missing inhalation study

## Quality of database Setting of an OEL

Dibasic esters	<b>sufficient</b> toxicity in nose
2-(2-Ethoxyethoxy) ethanol	<b>sufficient</b> toxicity in nose and larynx ?
Benzyl alkohol	<b>limited</b> no inhalation study
-----	
Dichloromethane	<b>limited (German MAK)</b> cancer, death ?

15

Dr. Bruno Orthen : November/2005 : DG Ent

**baua** :

## Risk comparison

- Assuming similar working practise, the **vapour pressure** determines the exposure level
- The **saturation concentration** depends on the vapour pressure roughly by the formula  
1000 x vapour pressure (hPa)  $\approx$  saturation conc. (ppm)

$$\text{Relative Risk level} = \frac{\text{Saturation concentration}}{\text{OEL}}$$

16

Dr. Bruno Orthen : November/2005 : DG Ent

**baua** :

## Risk comparison of DCM with alternative solvents

	saturation conc. (ppm)	OEL (ppm)	Relative risk level = saturation conc./ OEL
Dichloromethane	465200	10 - 100 <sup>1</sup>	<b>4650 - 46500</b>
DBE (v p = 27 Pa, 20°C)	270	0,2 - 2 <sup>2</sup>	<b>135 - 1350</b>
DBE (v p = 8 Pa, 20°C)	80	0,2 - 2 <sup>2</sup>	<b>40 - 400</b>
2-(2-Ethoxyethoxy) eth.	190	10 <sup>3</sup>	<b>19</b>
Benzyl alcohol		--	

1: range of OELs; consideration of cancer might decrease the OEL

2: range, in which the OEL is probably situated

3: BAuA-proposal

A higher relative risk level means a higher risk

## Risk comparison of DCM with alternative solvents

	Relative risk level	effect	database
DCM	<b>4650 - 46500</b>	<b>cancer, death</b>	<b>limited (D-MAK)</b>
DBE	40 - 1350	nose	sufficient
EEE	19	nose, larynx	sufficient
BA	no information		

## Risk comparison of DCM with alternative solvents

### Conclusion:

Two out of three selected alternative solvents are better than DCM, because

- lower risk level
- key effect is less important
- database is better (at least in D)

## Federal Institute of Occupational Safety and Medicine Germany

Dr. B. Orthen

Group 4.3: Toxicology of Hazardous Substances

orthen.bruno@baua.bund.de

Tel.: ++231-9071-2574